

- Lynch B., Callan J.J., O'Doherty J.V., 2009. The interaction between dietary crude protein and fermentable carbohydrate source on piglet post weaning performance, diet digestibility and selected faecal microbial populations and volatile fatty acid concentration. *Livestock Science*, 124, 93-100.
- Lynch M.B., O'Shea C.J., Sweeney T., Callan J.J., O'Doherty J.V., 2008. Effect of crude protein concentration and sugar-beet pulp on nutrient digestibility, nitrogen excretion, intestinal fermentation and manure ammonia and odour emissions from finisher pigs. *animal*, 2, 425-434.
- Nørgaard J.V., Hansen M.J., Soumeh E.A., Adamsen A.P.S., Poulsen H.D., 2014. Effect of protein level on performance, nitrogen utilisation and carcass composition in finisher pigs. *Acta Agriculturae Scandinavica, Section A — Animal Science*, 64, 123-129.
- O'Shea C.J., Lynch B., Lynch M.B., Callan J.J., O'Doherty J.V., 2009. Ammonia emissions and dry matter of separated pig manure fractions as affected by crude protein concentration and sugar beet pulp inclusion of finishing pig diets. *Agriculture, Ecosystems & Environment*, 131, 154-160.
- Powers W., B. Zamzow S., J. Kerr B., 2007. Reduced Crude Protein Effects on Aerial Emissions from Swine. *Applied Engineering in Agriculture*, 23, 539-546.
- Oliveira V.d., Fialho E.T., Lima J.A.F., Bertechini A.G., Freitas R.T.F.d., 2005. Low crude protein diets on the nitrogen and energy metabolism of growing pig. *Teor de proteina no metabolismo do nitrogenio e da energia em suinos durante o crescimento*, 866-874.
- Otto E.R., Yokoyama M., Hengemuehle S., Trottier N.L., von Bermuth R.D., van Kempen T., 2003. Ammonia, volatile fatty acids, phenolics, and odor offensiveness in manure from growing pigs fed diets reduced in protein concentration^{1,2}. *Journal of Animal Science*, 81, 1754-1763.
- Otto E.R., Yokoyama M., Ku P.K., Trottier N.L., Ames N.K., 2003. Nitrogen balance and ileal amino acid digestibility in growing pigs fed diets reduced in protein concentration^{1,2}. *Journal of Animal Science*, 81, 1743-1753.
- Panetta D.M., Powers W.J., Xin H., Kerr B.J., Stalder K.J., 2006. Nitrogen Excretion and Ammonia Emissions from Pigs Fed Modified Diets Mention of a trade name, proprietary product, or specific equipment does not constitute a guarantee or warranty by the USDA and does not imply approval to the exclusion of other products that may be suitable. *Journal of Environmental Quality*, 35, 1297-1308.
- Pierce K.M., Callan J.J., McCarthy P., O'Doherty J.V., 2007. The interaction between lactose level and crude protein concentration on piglet post-weaning performance, nitrogen metabolism, selected faecal microbial populations and faecal volatile fatty acid concentrations. *Animal Feed Science and Technology*, 132, 267-282.
- Pfeiffer A., Henkel H., Versteegen M.W.A., Philipczyk I., 1998. The influence of protein intake on water balance, flow rate and apparent digestibility of nutrients at the distal ileum in growing pigs. *Livestock Production Science*, 44, 179-187.
- Quiniou N., Primot Y., Peyronnet C., Quinsac A., 2011. Des aliments porcs moins riches en protéines et formulés à base de tourteau de colza et d'acides aminés de synthèse, dont la L-Valine, permettent de réduire le recours au tourteau de soja. *Journées Rech. Porcine*, 43, 135-136.
- Rachuonyo H., Ellis M., Varela D., Curtis S., Ibarungoytia J., 2015. Nitrogen balance, ammonia and odor emissions in growing pigs fed reduced protein diets. *Rev. Mex. Cienc. Pecun.*, 6, 119-136.
- Rigolot C., Espagnol S., Pomar C., Dourmad J.-Y., 2010. Modelling of manure production by pigs and NH₃, N₂O and CH₄ emissions. Part I: animal excretion and enteric CH₄, effect of feeding and performance. *Animal*, 4, 1401-1412.
- Sajeev E.P.M., Amon B., Ammon C., Zollitsch W., Winiwarter W., 2018. Evaluating the potential of dietary crude protein manipulation in reducing ammonia emissions from cattle and pig manure: A meta-analysis. *Nutrient Cycling in Agroecosystems*, 110, 161-175.
- Sauvant D., Letourneau-Montminy M., Schmidely P., Boval M., Loncke C., Daniel J., 2020. Use and misuse of meta-analysis in *Animal Science*. *animal*, 14, s207-s222.
- Sauvant D., Perez J.-M., Tran G., 2004. Tables of composition and nutritional value of feed materials: pigs, poultry, cattle, sheep, goats, rabbits, horses and fish. Eds, Wageningen Academic Publishers
- Shriver J.A., Carter S.D., Sutton A.L., Richert B.T., Senne B.W., Pettey L.A., 2003. Effects of adding fiber sources to reduced-crude protein, amino acid-supplemented diets on nitrogen excretion, growth performance, and carcass traits of finishing pigs. *Journal of Animal Science*, 81, 492-502.
- Valaja J., Alaviuhkola T., Suomi K., 1993. Reducing crude protein content with supplementation of synthetic lysine and threonine in barley-rape seed meal-pea diets for growing pigs. *Agricultural and Food Science*, 2, 117-123.
- Valaja J., Siljander-Rasi H., 1998. Effect of dietary crude protein and energy content on nitrogen utilisation, water intake and urinary output in growing pigs. *Agricultural and Food Science in Finland*, 7, 381-390.
- Wang Y., Zhou J., Wang G., Cai S., Zeng X., Qiao S., 2018. Advances in low-protein diets for swine. *Journal of animal science and biotechnology*, 9, 60-60.
- Zhao Y., Tian G., Chen D., Zheng P., Yu J., He J., Mao X., Huang Z., Luo Y., Luo J., Yu B., 2019. Effect of different dietary protein levels and amino acids supplementation patterns on growth performance, carcass characteristics and nitrogen excretion in growing-finishing pigs. *Journal of Animal Science and Biotechnology*, 10, 75.